

# 2-Port Keystone Wall Plate basic label-free, White

Structured Cabling / Wall Plates

KONGIA 2-Port Keystone Wall Plate basic label-free, White in US 1-gang format, 70 × 115 mm. Accepts 2 Keystone modules for RJ45, fiber or multimedia and creates a workstation with voice and data or two redundant links. Made from high-impact white PC/ABS with UL94V-0 material rating, includes two mounting screws and provides a professional structured cabling finish.



## PLACA DE PARED KEYSTONE

2 Puertos • Incluye 2 tornillos

### KW-FPB2-WH-US

#### Series

Basic series without labels

#### Product type

Modular wall plate for Keystone modules

#### Format

Vertical US 1-gang

## Key features

- 2 Keystone Ports for combining network, telephony, fiber or multimedia
- Minimalist front without labels for a clean, easy-to-maintain appearance
- Practical configuration for cost-sensitive projects without limiting Keystone modularity
- Suitable for homes, small offices, shops and network renovations
- US 1-gang format of 70 × 115 mm for recessed boxes or surface mounting
- High-impact white PC/ABS with UL94V-0 material rating
- Compatible with Cat5e, Cat6, Cat6A, fiber optic and multimedia Keystone modules
- Two white screws included for a uniform visual finish
- Individually replaceable modules for easier expansion and maintenance

## Technical specifications

| Parameter    | Specification                           |
|--------------|-----------------------------------------|
| Product code | KW-FPB2-WH-US                           |
| Series       | Basic series without labels             |
| Product type | Modular wall plate for Keystone modules |

## Technical specifications

| Parameter                           | Specification                                               |
|-------------------------------------|-------------------------------------------------------------|
| <b>Format</b>                       | Vertical US 1-gang                                          |
| <b>Capacity</b>                     | 2 Keystone ports                                            |
| <b>Nominal dimensions</b>           | 70 × 115 mm                                                 |
| <b>Material</b>                     | High-impact virgin PC/ABS                                   |
| <b>Material flammability rating</b> | UL94V-0                                                     |
| <b>Color and finish</b>             | White, smooth easy-to-clean surface                         |
| <b>Identification system</b>        | Plain front without label                                   |
| <b>Module compatibility</b>         | Keystone RJ45 Cat5e/Cat6/Cat6A, voice, fiber and multimedia |
| <b>Mounting compatibility</b>       | US 1-gang recessed box and KW-BB2X4-WH-US surface box       |
| <b>Fastening</b>                    | Two screws included                                         |
| <b>Application</b>                  | Indoors                                                     |
| <b>Administration practice</b>      | Compatible with TIA-606-C infrastructure documentation      |
| <b>Recommended temperature</b>      | -10 °C to 60 °C                                             |
| <b>Recommended humidity</b>         | 10% to 90% RH, non-condensing                               |
| <b>Warranty</b>                     | 5 years                                                     |

## Applications

### User Points and Workstations

Configures a workstation with voice and data or two redundant links in one vertical 1-gang plate. Modularity allows RJ45 jacks, fiber adapters or multimedia modules to be selected according to the project.

### Offices, Shops and Institutional Buildings

Integrates the telecommunications outlet with a uniform appearance and facilitates future module replacement without changing the entire plate.

### Copper and Fiber Structured Cabling

Compatible with Keystone modules for Cat5e, Cat6, Cat6A, telephony, fiber optics and audiovisual applications; the final category depends on the installed module and link.

### Homes and Renovation Projects

The unlabeled front maintains a discreet appearance when identification is kept in drawings, patch panels or external documentation.

## Packaging & contents

Contents: 1 KONGIA wall plate and 2 white screws. Labeled series include inserts and transparent covers according to the model. Packaging: individual protective bag with SKU label, batch code and port information.

## **Warranty**

KONGIA 5-year warranty.

## **Declared compliance**

RoHS · ISO 9001 · REACH · CE Compliant