HDMI 2.0 Cable 2 m · 100% Pure Tinned Copper 28 AWG · 8.0 mm · 4K/60Hz · 18 Gbps · HDR · 24K Gold-Plated Connectors

CCTV Accessories / HDMI Distribution

HDMI 2.0 cable, 2 m, with 100% pure tinned copper 28 AWG conductors that can be verified by testing. Diameter of 8.0 mm, 24K gold-plated connectors and aluminum alloy housings. Supports 4K/60Hz, 18 Gbps, HDR and 3D visual effects.

KG-CT-HDMI20-CU-2M

Type
HDMI Type A male-to-male cable

Length
2 m

Technology
HDTV / HDMI 2.0

Key features

- 100% pure tinned copper: 28 AWG conductor verifiable by testing.
- 4K/60Hz, 18 Gbps, HDR and 3D: Digital audio and video with compatible equipment and content.
- Four shielding elements: Two layers of aluminum foil, aluminum-magnesium braid and a drain wire to reduce interference.
- Dual protection and flexibility: PVC and braided nylon, tested for more than 10,000 flex cycles.
- High-quality connectors: 24K gold plating, aluminum alloy housings and strain relief.
- 5-year replacement warranty: If damaged within the first 5 years, we replace it with a new one.

Technical specifications

Parameter	Specification
Type	HDMI Type A male-to-male cable
Length	2 m
Technology	HDTV / HDMI 2.0

Technical specifications

Parameter	Specification
Conductor	100% pure tinned copper, verifiable by testing
Wire gauge	28 AWG
Outer diameter	8.0 mm
Connectors	24K gold-plated
Housing	Aluminum alloy, graphite gray
Resolution and refresh rate	4K/60Hz
Bandwidth	18 Gbps
HDR imaging	Supported
3D visual effects	Supported
Flex test	More than 10,000 cycles
Shielding	4 elements: 2 layers of aluminum foil + aluminum-magnesium braid + drain wire
Outer protection	2 layers: PVC + braided nylon
Cable color	Gray and black braid
Certifications	CE / FCC / RoHS
Declared weight	0.23 kg per unit
Warranty	5 years: if damaged, we replace it with a new one.
Sales unit	1 cable

Applications

CCTV surveillance
Connect DVR/NVR recorders to HDMI monitors.

4K entertainment
Sources and displays compatible with 4K/60Hz, HDR and 3D.

Offices and meeting rooms
Connect computers and audiovisual equipment.

Control rooms
Digital video link between compatible devices.

Packaging & contents

1 HDMI cable, 2 m, supplied in a bag. Quantity 1 equals one complete cable. The supplied length matches the selected SKU.

Warranty

5 years: if damaged, we replace it with a new one.

Declared compliance

CE · FCC · RoHS