

CCTV Video and Power Cable

CCTV Accessories / Video & Power Cables

Pre-terminated BNC + DC Siamese cable for CCTV cameras, in Black and 20 m long. 100% copper video cable with support for video up to 4K / 8MP.



2 COLORES DISPONIBLES



CABLE DE VIDEO Y ALIMENTACIÓN

20 m · Negro

BNC + DC 5.5 × 2.1 mm

KG-CVAP-20-BK

KG-CVAP-20-BK

Product type

pre-terminated Siamese cable for CCTV video + power

Color

Black

Length

20 m

Key features

- Cable diameter: 4.0 mm · For cameras up to 8 megapixels
- BNC and power connectors · Indoor use
- 100% copper video cable · Supports: AHD / CVI / TVI / CVBS
- Video and power in a single Siamese cable
- Power: 7.3 W
- Ready to connect for quick, neat installation
- Available in black or white and in lengths of 10 m, 20 m and 30 m

Technical specifications

Parameter	Specification
Product type	pre-terminated Siamese cable for CCTV video + power
SKU	KG-CVAP-20-BK
Color	Black
Length	20 m
Video connector	2 × male BNC

Technical specifications

Parameter	Specification
Power connector	DC 5.5 × 2.1 mm; 1 male + 1 female
Video cable	28 AWG
Power cable	24 AWG
100% copper video cable	Yes
Coaxial cable material	PE foam
Power cable material	PVC
Cable diameter	4.0 mm
Full-copper impedance	50 or 75 +/- 2 ohms
Operating temperature	-20 °C to +75 °C
Power	7.3 W
Compatible formats	AHD / HDCVI / HD-TVI / CVBS
Supported resolution	up to 4K / 8MP, depending on the equipment and format used
Termination	pre-terminated / ready to connect
Recommended application	indoor CCTV installations
Outdoor use, UV resistance, waterproofing, flame retardancy and LSZH	not declared
Warranty	5 years

Applications

Indoor residential CCTV

Connect video and power from the camera to the DVR or power supply.

Shops and offices

Neat installations with a single cable run for video and power.

HD analog system upgrades

Compatible with AHD, HDCVI, HD-TVI and CVBS.

Projects with defined cable routes

Choose between 10 m, 20 m and 30 m to reduce splices and excess cable.

Packaging & contents

Packaging: coiled cable with a central paper or cardboard band; no plastic bag.

Warranty

KONGIA 5-year warranty.

Declared compliance

RoHS · ISO 9001 · REACH · CE Compliant · CNAS