

FC Adhesive Cable Clamp with Sliding Cover, White, 50 Pieces

Professional Installations / Cable Clips

White KONGIA FC clamp in PA66, 47 × 19 × 11 mm, sliding cover, 3M PE foam and 50 pieces.



KG-CM-FC100-W

Product type

Self-adhesive FC clamp with sliding cover

Color

White

Body material

PA66

Key features

- Color: White
- PA66 body with rectangular sliding cover
- Dimensions: 47 × 19 × 11 mm
- Nominal compatibility: cables up to Ø8 mm
- Self-adhesive base with 3M PE foam tape
- Installation without drilling on smooth indoor surfaces
- Pack size: 50 pieces per resealable bag
- Applications in cabinets, offices, CCTV, networks and equipment
- RoHS, REACH SVHC, CE DoC, CNAS and ISO 9001 as the standard documentation set

Technical specifications

Parameter	Specification
Product type	Self-adhesive FC clamp with sliding cover
Color	White
Body material	PA66

Technical specifications

Parameter	Specification
Length	47 mm
Width	19 mm
Height	11 mm
Nominal compatibility	Cables up to Ø8 mm
Mechanism	Sliding top cover
Adhesive	3M PE foam tape
Fastening type	Self-adhesive, no drilling
Intended surface	Smooth, clean, dry and stable
Intended use	Indoors
Quantity	50 pieces per bag
Application	Cabinets, offices, CCTV, networks and equipment
Preparation	Remove dust, grease and moisture before bonding
Reinstallation	The same performance is not guaranteed after removal
Unpublished values	Load, adhesive strength, outdoor use and cycles subject to final documentation
Warranty	5 years

Applications

Cabinets

Bundling low-voltage cables on smooth interior panels.

Offices

Organization of routes under desks or behind technical furniture.

CCTV

Routing camera and signal cables on prepared indoor surfaces.

Networks

Maintaining a visible route for data and control cables.

Equipment

Organizing cables near monitors, recorders and peripherals.

Packaging & contents

Resealable KONGIA bag with 50 pieces of SKU KG-CM-FC100-W. Cables, tools, equipment and surfaces shown in application images are not included.

Warranty

KONGIA 5-year warranty. Excludes normal wear, incorrect selection, incompatible surfaces, poor installation, modification, reused adhesive and outdoor or unintended use.

Declared compliance

RoHS · ISO 9001 · REACH · CE Compliant · CNAS